Amen Clinics, Inc. ADD Type Questionnaire

Copyright Daniel G. Amen, MD

Please rate yourself (or the person you are evaluating) on each of the symptoms listed below using the following scale. If possible, also have someone else rate you or the other person (such as a spouse, lover or parent). This is done to obtain a more complete picture of the situation.

0		1	2	3	4	NA
Never	Ra	rely	Occasionally	Frequently	Very Frequently	Not Applicable
Other	Self					
	1 e	asily distr	racted			
	2. d	ifficulty s	sustaining attent	ion span for m	ost tasks in play, sc	hool, or work
	3. tı	rouble list	ening when oth	ers are talking		
No. of the last of	4. d	lifficulty f	following through	gh (procrastina	tion) on tasks or ins	structions
		•		nized area (roo	om, desk, book bag,	filing cabinet,
	10	ocker, etc	.)			
	6. h	as trouble	e with time, for	example, frequ	nently late or hurried	d, tasks take longer
				homework are	"last minute" or tu	med in fate
			o loses things	- an attention	to datail	
			eless mistakes, p	oor attention	io detail	
	9. f		daydreaming			
			s of being bored			
	12.	appears a	pathetic or unmo	otivated		
	13.	tired, slug	ggish, or slow m	oving		
			seems preoccup			
			r hyperactive			
	16.	trouble si	tting still			
			onstant motion		ody)	
			rd time being qu			
			"driven by a mo	otor"		
	20.	talks exce	essively	/1	anta an actions hafe	ore they are said or
		-	e (doesn't think	tnrough comm	nents or actions before	he they are said of
		done)	culty awaiting tu	rn		
					itts into conversatio	ns or games)
			e or senseless we		itts into conversatio	ns or games)
		superorga		311 y 111g		
			onal, argumentat	ive		
	23. 27	strong te	ndency to get lo	cked into nega	tive thoughts, havir	ng the same thought
		over and		2		-

	28. tendency toward compulsive behavior
	29. intense dislike for change
	30. tendency to hold grudges
	31. trouble shifting attention from subject to subject
	32. difficulties seeing options in situations
	33. tendency to hold onto own opinion and not listen to others
	34. tendency to get locked into a course of action, whether or not it is good for the
	person
	35. needing to have things done a certain way or you become very upset
	36. others complain that you worry too much
-	37. periods of quick temper of rages with little provocation
	38. misinterprets comments as negative when they are not
	39. irritability tends to build, then explodes, then recedes, often tired after a rage
	40. periods of spaciness or confusion
	41. periods of panic and/or fear for no specific reason
	42. visual changes, such as seeing shadows or objects changing shape
	43. frequent periods of de ja vu (feelings of being somewhere before even though
	you never have)
	44. sensitivity or mild paranoia
	45. headaches or abdominal pain of uncertain origin
	46. history of a head injury or family history of violence or explosiveness
	47. dark thoughts, may involve suicidal or homicidal thoughts
	48. periods of forgetfulness or memory problems
	49. short fuse or periods of extreme irritability
	50. moodiness
	51. negativity
	52. low energy
	53. frequent irritability
	54. tendency to be socially isolated
	55. frequent feelings of hopelessness, helplessness or excessive guilt
	56. lowered interest in things that are usually considered fun
	57. sleep changes (too much or too little)
-	58. chronic low self-esteem
	59. angry or aggressive
	60. sensitive to noise, light, clothes or touch
	61. frequent or cyclic mood changes (highs and lows)
	62. inflexible, rigid in thinking
	63. demanding to have their way, even when told no multiple times
	64. periods of mean, nasty or insensitive behavior
	65. periods of increased talkativeness
	66. periods of increased impulsivity
	67. unpredictable behavior
	68. grandiose or "larger than life" thinking
	69. talks fast
	70. appears that thoughts go fast
	71. appears anxious or fearful